

Module: Substance Abuse

NNHS.Q108: During your life, have you ever used marijuana?

	Percent	Lower Estimate	Upper Estimate	N
Yes	33.9%	29.4%	38.6%	2,312
Male	51.1%	45.6%	56.6%	814
Female	18.5%	14.7%	23.0%	1,498

During your life, have you ever used marijuana, by Age Group

	Point	Lower	Upper	N
<30	37.4%	28.3%	47.4%	325
30-39	55.5%	42.1%	68.2%	266
40-49	45.9%	34.6%	57.7%	329
50-59	23.3%	17.4%	30.5%	504
60-69	12.4%	7.0%	21.0%	453
70-79	3.0%	0.9%	9.2%	307
80+	1.1%	0.2%	5.6%	128

During your life, have you ever used marijuana, by Agency

Agency	Point	Lower	Upper	N
Chinle	28.3%	23.2%	34.1%	706
Eastern	29.8%	26.3%	33.5%	472
Ft. Defiance	32.8%	24.0%	42.9%	345
Northern	40.3%	33.7%	47.3%	515
Western	39.8%	32.1%	48.0%	274

Module: Substance Abuse

NNHS.Q109: About how often did you use marijuana in the past 30 days?

	Mean	Lower Estimate	Upper Estimate	N
Times per month	1.70	0.76	2.64	2,272
Male	2.69	1.03	4.36	793
Female	0.77	NA	1.63	1,479

About how often did you use marijuana in the past 30 days, (If ever used)

	Mean	Lower Estimate	Upper Estimate	N
Times per month	5.35	2.39	8.30	486
Male	4.96	2.01	7.91	285
Female	5.71	NA	13.97	201

Percent who used marijuana at all in the past 30 days, by Age Group

	Point	Lower	Upper	N
<30	10.4%	5.8%	17.8%	315
30-39	5.4%	2.6%	10.8%	258
40-49	4.2%	2.0%	8.7%	320
50-59	2.9%	1.5%	5.4%	497
60-69	0.4%	0.1%	1.4%	449
70-79	0%			306
80+	0%			127

Module: Substance Abuse

NNHS.Q110: During your life, have you ever used any form of cocaine, including powder, crack, or freebase?

	Percent	Lower Estimate	Upper Estimate	N
Yes	4.1%	2.4%	7.0%	2,304
Male	7.0%	3.6%	13.1%	810
Female	2.0%	1.0%	4.1%	1,494

During your life, have you ever used any form of cocaine, including powder, crack, or freebase, by Age Group

	Point	Lower	Upper	N
<30	2.6%	1.4%	4.9%	323
30-39	9.8%	3.9%	22.5%	266
40-49	6.1%	3.4%	11.0%	328
50-59	3.3%	1.0%	10.3%	503
60-69	0.3%	0.1%	1.0%	454
70-79	0.2%	<0.1%	1.2%	302
80+	0%			128

Module: Substance Abuse

During your life, have you ever used any form of cocaine, including powder, crack, or freebase, by Agency

Agency	Point	Lower	Upper	N
Chinle	5.6%	3.8%	8.0%	705
Eastern	1.0%	0.3%	3.6%	472
Ft. Defiance	3.6%	1.6%	8.1%	342
Northern	7.8%	2.4%	22.7%	516
Western	5.2%	2.3%	11.4%	269

NNHS.Q111: About how many times have you used any form of cocaine in the past 30 days (If ever used)

	Mean	Lower Estimate	Upper Estimate	N
Times per month	0.02	NA	0.05	75
Male	<0.01	NA	0.01	54
Female	0.16	NA	0.45	21

NNHS.Q112: During your life, have you ever used methamphetamines (also called speed, crystal, crank, G or ice)?

	Percent	Lower Estimate	Upper Estimate	N
Yes	4.3%	2.3%	7.7%	2,313
Male	6.9%	3.8%	12.4%	813
Female	2.6%	1.0%	6.4%	1,500

Module: Substance Abuse

During your life, have you ever used methamphetamines (also called speed, crystal, crank, G or ice),
by Age Group

	Point	Lower	Upper	N
<30	2.9%	1.3%	6.4%	326
30-39	14.2%	6.0%	30.0%	268
40-49	4.5%	2.1%	9.5%	328
50-59	0.9%	0.3%	2.5%	503
60-69	0.2%	<0.1%	1.2%	454
70-79	0%			306
80+	0.4%	0.1%	2.9%	128

During your life, have you ever used methamphetamines (also called speed, crystal, crank, G or ice),
by Agency

Agency	Point	Lower	Upper	N
Chinle	4.9%	2.5%	9.3%	710
Eastern	2.0%	0.7%	6.0%	472
Ft. Defiance	3.8%	1.6%	8.8%	343
Northern	5.7%	1.7%	17.6%	515
Western	7.5%	1.9%	24.9%	273

Module: Substance Abuse

NNHS.Q113: How many times have you used methamphetamines in the past 30 days? (if ever used)

	Mean	Lower Estimate	Upper Estimate	N
Times per month	0.70	NA	1.68	48
Male	3.43	0.51	6.34	31
Female	0.21	0.01	0.42	17

NNHS.Q114: In the past 30 days have you used heroin (also called smack, junk, or Chine White)?

	Percent	Lower Estimate	Upper Estimate	N
Yes	0.7%	0.3%	1.7%	2,307
Male	1.3%	0.4%	3.5%	811
Female	0.1%	0.03%	0.5%	1,496

In the past 30 days have you used heroin (also called smack, junk, or Chine White), by Agency

Agency	Point	Lower	Upper	N
Chinle	0.4%	<0.1%	2.2%	705
Eastern	0%			472
Ft. Defiance	0.3%	<0.1%	2.2%	343
Northern	1.1%	0.2%	5.4%	514
Western	1.5%	0.3%	7.9%	273

Module: Substance Abuse

NNHS.Q115: In the past 30 days, have you used ecstasy (also called MDMA)?

	Percent	Lower Estimate	Upper Estimate	N
Yes	0.4%	0.1%	1.2%	2,292
Male	0.7%	0.2%	2.7%	808
Female	0.2%	0.03%	0.7%	1,484

In the past 30 days, have you used ecstasy (also called MDMA), by Agency

Agency	Point	Lower	Upper	N
Chinle	0.4%	<0.1%	3.9%	704
Eastern	0%			470
Ft. Defiance	0.2%	<0.1%	1.0%	336
Northern	0%			511
Western	1.5%	0.3%	6.3%	271

NNHS.Q116: In the past 30 days, have you used a pain killer to get high, like Vicodin, Oxycontin (also called Oxy or OC), or Percocet (also called Percs)?

	Percent	Lower Estimate	Upper Estimate	N
Yes	2.1%	0.7%	5.9%	2,293
Male	3.6%	1.0%	11.9%	804
Female	0.6%	0.2%	1.6%	1,489

Module: Substance Abuse

In the past 30 days, have you used a pain killer to get high, like Vicodin, Oxycontin (also called Oxy or OC), or Percocet (also called Percs), by Age Group

	Point	Lower	Upper	N
<30	3.9%	0.6%	20.5%	324
30-39	4.6%	0.8%	22.9%	268
40-49	0.7%	0.2%	2.7%	324
50-59	0.2%	0.1%	1.0%	501
60-69	0.6%	0.2%	1.8%	450
70-79	0%			301
80+	0.4%	0.1%	3.0%	125

In the past 30 days, have you used a pain killer to get high, like Vicodin, Oxycontin (also called Oxy or OC), or Percocet (also called Percs), by Agency

Agency	Point	Lower	Upper	N
Chinle	0.5%	0.1%	2.5%	702
Eastern	1.2%	0.3%	4.1%	468
Ft. Defiance	0.2%	<0.1%	0.8%	339
Northern	5.0%	1.2%	18.5%	513
Western	3.9%	1.0%	14.1%	271